DATE: 22 Jan 02

STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN)

of the

AN/TPS-59(V)3

Radio Frequency Oscillator

NSN 5999-01-143-0771

SOW-04-C4I-89860B-2/1

1. This SOW identifies the work effort that shall be performed by the contractor to IROAN the AN/TPS-59(V)3 Radio Frequency Oscillator, NSN 5999-01-143-0771, part number 725016A0954-G1, CAGE 03538.

2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E. HEKNDON

Logistics Management Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

RICHARD E. JONES

Team Leader

Equipment Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN)

of the

AN/TPS-59(V)3

Radio Frequency Oscillator NSN 5999-01-143-0771

1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor to IROAN the AN/TPS-59(V)3 Radio Frequency Oscillator, NSN 5999-01-143-0771, part number 725016A0954-G1, CAGE 03538, hereafter referred to as the Radio Frequency Oscillator. This document contains requirements to restore the Radio Frequency Oscillator to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."

- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.
- 2.1 Military Standards.

MIL-STD-2073-ID

DoD Standard Practice for Military Packaging

MIL-STD-129

DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications.

Engineering Drawing

725016A0954, CAGE 03538

Oscillator, RF

Engineering Drawing

725016A0954-G1, CAGE 03538

Parts List, Oscillator, RF

Engineering Drawing

77A100090, CAGE 03538

Test Requirement, Oscillator, RF

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards.

ANSI/ISO/ASQC

Quality Systems - Model for Quality Assurance in

Q9003-1994

Final Inspection and Test

JESD625-A

Requirements for Handling Electrostatic-Discharge

Sensitive (ESDS) Devices

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements.

- The contractor shall repair the Radio Frequency Oscillator strictly in accordance with the requirements as specified in Engineering Drawing 725016A0954 and Parts List 725016A0954-G1, CAGE 03538. Testing shall be conducted in accordance with Test Specification 77A100090, CAGE 03538, and the test results shall be documented in a Test Data Report (TDR). The contractor shall be responsible for all parts, materials, labor, facilities, tools and test equipment necessary to IROAN the equipment in accordance with this SOW.
- 3.2 Packaging, Handling, Storage and Transportation (PHS&T).
- 3.2.1 The contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this Statement of Work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia, Specialized Preservation Code "GX". Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level

"B" requirements. This item is subject to Electrostatic Sensitivity and shall be packed into a reusable fast-pack container.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use requirement, shall be identified, in writing, by the Logistics Management Specialist (LMS), MCSC (Code BMADS), Albany, Georgia.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the designated site(s). The Marine Corps will be responsible for all transportation costs associated with shipping the subject equipment to and from the contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).
- 3.5 <u>Electrostatic Discharge (ESD) Control Program</u>. The contractor shall establish, implement, and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions. The contractor shall establish and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- 4.0 Reports. The contractor shall develop a Test Data Report (TDR) in contractor format, referencing this SOW, the NSN, part number and serial number of the Radio Frequency

Oscillator. The TDR shall reference the specific paragraph of the Test Requirement 77A100090, CAGE 03538, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, the contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS). Electronic address is: hermonle@matcom.usmc.mil. Mailing address is: Commander, Marine Corps Systems Command, Attn: Logistics Management Specialist, Code BMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. Facsimiles may be sent to (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, Code BMADS.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defanse, Washington Headquarters Services, Directorate for Information Operations and Reports (0741-0188), 1216 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be sware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with an collection of information if it does not display a currently valid DMB control number. Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

		B. EXHIBIT		C. CATEGORY:						
				TDP TM _		RX_				
D. SYSTEM/ITEM Radio Fr	requency Oscillato	r	E. CONTRACT/PR	t NC.	F. CONTR	ACTUR				
1. DATA ITEM NO. 2. TITLE OF DATA ITEM					3. SUBTITLE					
A001	Engine	ering Ch	ange Proposa	ıl (ECP)	Configuration Management					
4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFER						6. REQUIRING OFFICE				
DI-CMAN-80639C				SOW 3.3		MCLBA (583)				
	OCOURED.			12. DATE OF FIRST SUBMISSI		17. 0(3)(1100)(44)				
LT			SREQ	See Blk 1	.6		b. COPIES			
APP CODE		11. AS OF DAT	ΓE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft -	Final		
A . REMARKS	A							Reg Repro		
Blk 4 - Contrac	tor format submit	ted in .po	df or .doc for	mat is authorized.		MCLBA (583-1)	0	1	0	
3lks 10 & 12 - ermanently aff	ECPs shall be sulfect the baseline of	omitted for	or all propose	d changes which						
Blks 10 & 12 - ECPs shall be submitted for all proposed changes which permanently affect the baseline of a configuration item. ECPs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.						<u> </u>				
mbmatcomconf	igmngmnt@matco	om.usmc.	mil	following address:			-			
Distribution Statement A: Approved for Public Release; Distribution is Unlimited.						+ 1				
Jiiimitea.										
							 			
							 			
										
							1			
							1			
						· · · · · ·				
							1 1			
	·									
							$\downarrow \downarrow \downarrow$	ļ		
						<u> </u>				
							+ -			
						-				
							† †			
							\perp			
							+			
							1 -1	\		
							1 1	-+		
							1 1			
OOCDADED BY			T	1	_	15. TOTAL	0	1	0	
PREPARED BY	a Class		H. DATE	I. APPROVED B	9 /		J. DATE	1,	†)	
DYFORM 1423-1	AUG 96 (FG)		TO NOV	EVIOUS EDITION MAY BE	<u> </u>	the state of the s	Patie	<u>//</u> of	Pages	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defanse, Washington Headquarters Services, Directorate for Information Department of Defanse, Washington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of lew, no person shell be subject to enty penelty for failing to comply with a collection of information if it does not display a currently valid DMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contractiff No. Issted in Block E.

A. CONTRACT LINE ITEM NO. B. EXHIBIT D. SYSTEM/ITEM		B. EXHIBI	T	C. CATEGORY:	· · · · · · · · · · · · · · · · · · ·					
				F. CONTR.						
	requency Oscillat	or								
DATA ITEM NO.	2. TITLE OF DATA ITEM		1		3. SUBTITLE					
A002		For Deviation	For Deviation		Configuration Management					
. AUTHORITY (Data Acquisi			5. CONTRACT REFEREI			6. REQUIRING OFFICE	(500)			
DI-CMAN-80640C			SOW 3.3			MCLBA (583)				
LT LT	8. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBMISS See Blk		14. DISTRIBUTION	Υ			
L. APP CODE		11. AS 0F DA	ASREQ TE	13. DATE OF SUBSEQUENT	.0	_	b. COPIES			
A	A	II. AS DF UA		SUBMISSION		a. ADDRESSEE	Oraft	Fir		
E DEMARKS	<u> </u>	<u> </u>				MOLDA (502.1)	0	Reg	Repro	
Blk 4 - Contrac	tor format submi	tted in .p	df or .doc for	mat is authorized.		MCLBA (583-1)	0	1	(
Blks 10 & 12 - ionconforming locumentation.	RFDs shall be su material which d	bmitted t loes not n	o obtain authoneet prescribe	orization to deliver d configuration	г					
RFDs will be receipt by the C	eviewed and disp Government.	osition de	etermined with	nin 30 calendar da	ys upon					
				following address						
	atement A: Appro									
/IIIIIIIIIIII										
							1			
							<u> </u>			
							\vdash		ļ <u>.</u>	
							 			
							 			
						15. TOTAL	0	1	<u> </u>	
G. PREPARED BY	a al.	a	H. DATE	I. APPROVED E	IY (J. DATE		- ``	
<u>∠//// // // // // // // // // // // // /</u>	I, AUG 96 (EG)		/ U / U U	REVIOUS EDITION MAY BE	LISED S	yer,	Page	1 m	Pag	